

The New Equation Requires More Sustainable Chemistry



CAP Chem manufactures cleaning detergents and sealing products, all green products with biocidal actives and formulations.

We are proud to deal with some of the biggest industry and best companies in the world. These include DUPONT, BASF, DOW, ORKILA, Lonza... and many others.

Our production will be divided into three main fields, Industrial Cleaners, Sealers, Hospitality Cleaners and Medical Care Products.

Our ISO22716 ensures the highest standards in the industry.



OUR PRODUCT RANGE

Industrial Cleaners & Sealers

These products are mainly for Industrial companies or industrial work, companies as professional cleaning companies or marble companies even institution that are willing to do their own jobs.

Cleaners



ADVANCED Fabric Cleaner



Description:

Fabric care does not contain any soap, detergents or other toxic wastes, which help fibers live longer. The product is Hypoallergenic, offering health benefits, to those who suffer from allergies and asthma and improves the fabric clean ability (fabric life).

Benefits:

Improved Cleaning-Residues-Economy-Color Protection-Antibacterial-Long Lasting-Freshness.

Application:

Spray extraction Carpet and Upholstery cleaner. No bleaching agents. PH-neutral. Fiber-deep removal of dirt. Foamless. Pleasant fragrance. Gentle on the fibers. Prevents fast re-soiling. Suitable for prespotting

Where to use:

All color fast and water resistant textile covering in natural and synthetic fiber, carpet and upholstery. (always test on a small area)

Dilution:

100 - 600 ml per 10 lt of water

Ingredients:

Deionized Water, Glycol, Coupling Agent, Biocide, Non Ionic Surfactant, Chelating Agent, Dispersing Agent, Preservative

Shelf Life:

Cleaners

FLOOR Cleaner



Description:

A concentrated multi-purpose washroom and hard surface cleaner/sanitiser for use in residential care, housekeeping, leisure and building services. It is formulated to remove soap scum and grease, whilst at the same time leaving a fresh fragrance.

Cleans floors, walls, toilet cubicles, showers, urinals, sluice rooms, wash basins, tiled areas and tables. It contains a highly effective biocide and can be used as a damp wiping multi-purpose sanitiser in housekeeping and building services applications

Application:

Remove gross debris. Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the product to penetrate the dirt.

Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface.

Dilution:

Standard at a dilution of 1:25 with a contact time of 5 minutes.

Where to use:

Foors, walls, toilet cubicles, showers, urinals, sluice rooms, wash basins, tiled areas and tables

Ingredients:

Deionized Water, Non Ionic Surfactant, Solvent, Coupling Agent, Preservative,

Shelf Life:

Cleaners



INDUSTRIAL Descaler



Description:

A highly concentrated cleaner and degreaser containing a blend of non-ionic surfactant and versatile sulfonic acid to remove grease, oil and other types of stubborn grime from a variety of surfaces. Safe to use on most hard surfaces leaving surfaces clean with a pleasant fragrance

Where to use:

Remove grease, oil and other types of stubborn grime from a variety of surfaces such as kitchens, garages, warehouses, and pool areas

Application with dilution:

- 1. Light Cleaning and General Maintenance: Dilution of 1:50
- 2. Medium Soiling and Grease Removal: Dilution of 1:20
- Heavy Soiling and Polish Build-Up: Dilution of 1:10 Spray, sponge or mop onto the surface, agitate if necessary and rinse off with clean water.

Ingredients:

Deionized Water, Non Ionic Surfactant, Descaling Agent, Preservative,

Shelf Life:

Cleaners

GROUT Cleaner



Description:

A concentrated perfumed multi-purpose cleaner formulated to clean Grouts, and other hard surfaces, whilst at the same time leaving a pleasant fragrance can be used to remove ingrained grime from grouts and surfaces including safety flooring, vinyl, ceramic and painted surfaces

Application with dilution:

- 1. Remove gross debris.
- 2. Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the product to penetrate the soil.
- 3. Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface.

Dilution:

Standard at a dilution of 1:50 with a contact time of 5 minutes

Where to use:

Suitable for a wide variety of cleaning operations in housekeeping and building services applications as a damp wipe surface and floor cleaner.Cleans floors, walls, toilet cubicles, showers, urinals, sluice rooms, wash basins, tiled areas and tables

Ingredients:

Deionized Water, Non Ionic Surfactant, Solvent, Chelating Agent, Alcohol, Preservative,

Shelf Life:

Cleaners



WOODEN Floor Cleaner



Description:

Wood Floor Cleaner is a ready-to-use pHneutral detergent specifically formulated for cleaning all types of wooden and cork floors including all finished but also waxed and oiled floors. It makes both the everyday cleaning and the cleaning of very dirty floors easy without the risk of damaging the wood or finish.

Application:

- Before cleaning, vacuum or sweep your floors to remove dirt and grit.
 Lightly mist a 3 m² area of your floor or spray the cleaning pad directly with Wood Floor Cleaner.
- 3 Wipe the floor using the Mop and cleaning pad. Finish one area before moving on to the next. For stubborn

spots, rubber heel marks or sticky spills, spray cleaner directly on these areas and wipe clean. When the pad becomes soiled, replace with a clean one. Use as needed, depending on household traffic

Dilution:

Ready To Use.

Where to use:

Specifically designed for finished wooden and cork floors Suitable for both residential and commercial locations Compatible with all types of maintenance coatings including polishes.

Ingredients:

Deionized Water, Non Ionic Surfactant, Solvent, Chelating Agent, Alcohol, Preservative,

Shelf Life:

Sealers



FABRIC Protector



Description:

Capstone[®] fabric protector forms a molecular shield around fibers, guarding against oil and water-based stains, dust and dry soil, all without impacting the look, touch, feel, color or breathability of the fabric. Fabric protection product Life can reach up to 2 years

Application:

- 1. CLEAN THE FABRIC FIRST, otherwise dirt will be trapped and existing stains will be blocked in.
- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.

- 3. Apply the product vertically and horizontally (15cm away from surface) on the whole surface with a light sprayer or with an air compressor.
- 4. Allow drying and waiting for 24h before using the material.
- 5. 1 lit will cover around 30 m² surface or around 3seat sofa +2seat sofa + 2 single sofa

Where to use:

Furniture, Upholstery (All types of material), Theatre Seats, Cinema Seats, Airplane Seats, Bags, Purses, Car Seats, Child Seats, Swimming pool covers, Yachts, Tents...

Shelf Life:

Sealers



CARPET PROTECTOR



Description:

Capstone[®] carpet protector forms a molecular shield around fibers, guarding against oil and water-based stains, dust and dry soil, all without impacting the look, touch, feel, color or breathability of the carpet. Carpet protection product Life can reach up to 2 years

Application:

1. CLEAN THE Carpet FIRST,otherwise dirt will be trapped and existing stains will be blocked in

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on thewhole surface.
- Apply the product vertically and horizontally (15cm away from surface) on the whole surface with a light sprayer or with an aircompressor.
- 4. Allow drying and waiting for 24h before using the material
- 5. 1lt will cover 30m²

Where to use:

Sutaible for all types of carpet & rugs

Ingredients: Capstone[®] - Fluoropolymer

Shelf Life:

Sealers

LEATHER Protector



Description:

Capstone[®] Leather protector provides a durable, invisible barrier against water, oil, dirt and stains plus superior UV resistance. Superior stain protection while preserving the look, quality, touches and color of the leather. Capstone[®] protection product Life can reach up to 2 years

Application:

- 1. CLEAN THE LEATHER FIRST, otherwise dirt will be trapped and existing stains will be blocked in.
- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.

- 3. Apply the product vertically and horizontally (15cm away from surface) on the whole surface with a light sprayer or with an air compressor.
- 4. Allow to dry and wait for 24h before using the material.
- 1 L will cover around 25 m² surface around 3seat sofa +2seat sofa and 1 single sofa

Where to use:

Leather (All types of material), Theatre Seats, Cinema Seats, Airplane Seats, Bags, Purses, Car Seats, Child Seats, Yachts, Tents...

Ingredients: Capstone - Fluoropolymer

Shelf Life:

Sealers

WOOD PROTECTOR



Description:

Capstone[®] wood protector is water based Nanotechnology product and it is completely environmentally friendly. A transparent layer penetrates into the porous of the wood and creates an invisible protection against any dirt particles and from sunlight, moisture, moss, grasses ... which increases the durability of these wooden surfaces. Capstone[®] protection product Life can reach up to 2 years

Application:

- 1. CLEAN THE WOOD FIRST, otherwise dirt will be trapped and existing stains will be blocked in.
- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.
- 3. Apply the product vertically and horizontally (15cm away from surface) on the whole surface with a light sprayer or with an air compressor.
- 4. Allow drying and waiting for 24h before using the material.
- 5. 1 L will cover around 40 m² surface

Where to use :

Wooden structures – Pergolas -Wooden garden furniture - Wooden boats - Wooden roofs and trusses -Wooden fences -Wooden floors

Ingredients:

Capstone® - Fluoropolymer

Shelf Life:

Sealers



HEAVY DUTY Stone Sealer



Description:

Capstone[®] sealer provides oil and water repellency, stain resistance, and easy stain cleanup. Capstone[®] repellents provide outstanding stain protection to porous and non-porous surfaces. Product life can reach 2-4 years on interior surfaces and 1-2 years on exterior surfaces. For frequently used surfaces, annual sealing is recommended.

Application:

1. CLEAN THE SURFACE FIRST, otherwise dirt will be trapped and existing stains will be blocked in. Ensure cap is closed, shake well before use.

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.
- 3. Mask off and protect any surfaces not intended to be treated
- 4. Liberally apply an even coat using paint pad, roller, brush or low-pressure sprayer.
- 5. Allow sealer to penetrate the surface for 15-30 minutes while spreading sealer over surface to ensure even penetration. Remove excess sealer by whipping entire surface thoroughly with a clean dry towel.
- 6. Apply second coat 30-40 min.

after first coat, following directions in steps 4 & 5

- A full cure is achieved after 24 hours. Surface may be used in 6-8 hours
- 8. 1 L will cover around 30 m2 surface

Where To use:

Marble, Limestone, Terracotta, Saltillo & Slate

Ingredients:

Capstone[®] - Fluoropolymer

Shelf Life:

Sealers



PROFESSIONAL **STONE SEALER**



Description:

Capstone[®] sealer provides oil and water repellency, stain resistance, and easy stain cleanup. The Capstone® Porous and Non-Porous protector contain small Nano components, which penetrate, fill and spread over the surface creating an invisible barrier, which repels organic and inorganic pollutants. Product life can reach 2-4 years on interior surfaces and 1-2 years on exterior surfaces. For frequently used surfaces, annual sealing is recommended.

Application:

1. CLEAN THE SURFACE FIRST, otherwise dirt will be trapped and existing stains will be blocked in.

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface. INSURE area is well 7. A full cure is achieved after 24 ventilated during application.
- 3. Mask off and protect any surfaces not intended to be treated
- 4. Liberally apply an even coat using paint pad, roller, brush or lowpressure sprayer.
- 5. Allow sealer to penetrate the surface for 15-30 minutes while spreading sealer over surface to ensure even penetration. Remove excess sealer by whipping entire surface thoroughly with a clean dry towel.

- 6. Apply second coat 30-40 min. after first coat, following directions in steps 4 & 5
- hours. Surface may be used in 6-8 hours
- 8. 1 L will cover around 30 m² surface)

Where To use:

Granite, bluestone, travertine and Flagstone

Ingredients:

Capstone[®] - Fluoropolymer

Shelf Life:

Sealers



HEAVY DUTY Exterior Sealer



Description:

Capstone[®] sealer provides oil and water repellency, stain resistance, and easy stain cleanup. Capstone[®] repellents provide outstanding stain protection to porous and non-porous surfaces. Product life can reach 2-3 years on interior surfaces and 1-2 years on exterior surfaces. For frequently used surfaces, annual sealing is recommended.

Application:

1. CLEAN THE SURFACE FIRST, otherwise dirt will be trapped and existing stains will be blocked in.

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.
- 3. Mask off and protect any surfaces not intended to be treated
- 4. Liberally apply an even coat using paint pad, roller, brush or low-pressure sprayer.
- 5. Allow sealer to penetrate the surface for 15-30 minutes while spreading sealer over surface to ensure even penetration. Remove excess sealer by whipping entire surface thoroughly with a clean dry towel. DO not allow excess sealer to dry on the surface.

- 6. Apply second coat 30-40 min. after first coat, following directions in steps 4 & 5
- 7. A full cure is achieved after 24 hours. Surface may be used in 6-8 hours
- 8. 1 L will cover around 25 m² surface

Where To use:

Sandstone, Natural stone, Concrete, Interlocking pavers.

Ingredients:

Capstone® - Fluoropolymer

Shelf Life:

Sealers

NATURAL STONE Countertop Sealer



Description:

Capstone[®] Protector provides oil and water repellency, stain resistance, and easy stain cleanup. Capstone[®] repellents provide outstanding stain protection to porous and non-porous surfaces. Product life can reach 2-4 years on interior surfaces and 1-2 years on exterior surfaces. For frequently used surfaces, annual sealing is recommended.

Application:

1. CLEAN THE SURFACE FIRST, otherwise dirt will be trapped and existing stains will be blocked in.

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.
- 3. Surface temperature should be between 10°C and 26.7°C
- 4. Mask off and protect any surfaces not intended to be treated
- 5. Liberally apply an even coat using paint pad, roller, brush or low-pressure sprayer.
- Allow sealer to penetrate the surface for 15-30 minutes while spreading sealer over surface to ensure even penetration. Remove excess sealer by whipping entire surface thoroughly with a clean dry

towel.

- 7. Apply second coat 30-40 min. after first coat, following directions in steps 4 & 5
- 8. A full cure is achieved after 24 hours. Surface may be used in 6-8 hours
- 9. 9.1 L will cover around 20 $m^2 \\ surface$

Where to use:

Marble, Limestone, Flagstone and Saltillo, shower walls, terracotta, tubs.

Ingredients:

Capstone[®] - Fluoropolymer

Shelf Life:

Sealers



ADVANCED GROUT SEALER



Description:

Capstone[®] sealer provides oil and water repellency, stain resistance, and easy stain cleanup. The Capstone[®] Porous and Non-Porous protector contain small Nano components, which penetrate, fill and spread over the surface creating an invisible barrier, which repels organic and inorganic pollutants.Product life can reach 2-4 years on interior surfaces and 1-2 years on exterior surfaces.

Application:

1. CLEAN THE SURFACE FIRST, otherwise dirt will be trapped and

existing stains will be blocked in.

- 2. ALWAYS TEST ON A SMALL AREA FOR COLOR CHANGE before applying the product on the whole surface.
- 3. Mask off and protect any surfaces not intended to be treated
- 4. Liberally apply an even coat using a low-pressure sprayer.
- 5. Allow sealer to completely penetrate into the grout 5-15 min.
- 6. Remove excess sealer by whipping entire surface thoroughly with a clean dry towel
- 7. If sealer was not completely wiped off and a residue appears, wipe entire surface with a towel damped

with sealer and follow with a clean towel

- Apply second coat 30-40 min. after first coat, following directions in steps 4 & 5
- 9. A full cure is achieved after 24 hours. Surface may be used in 6-8 hours

Where to use:

All kinds of natural stone, ceramic and porcelain tile

Ingredients:

Capstone[®] - Fluoropolymer

Shelf Life:



OUR PRODUCT RANGE

Hospitality Cleaners

The institutional cleaning products clean efficiently while protecting surfaces and textiles. At the same time, they are safe and convenient to use and contribute to sustainable development, for example, by performing well with less water or energy. This range of products is divided into three parts, Hotels, Restaurants and Household. These products are the main daily use as cleaners and disinfectants.

Hospitality

Cleaners

TOILET Bowl Cleaner



Description:

A powerful acid toilet and urinal cleaner/ descaler used daily to safely clean, deodorise and descale both ceramic and stainless steel toilet surfaces. The green viscous liquid descaler clings to sanitary ware surfaces to improve cleaning action

Application:

Product is used directly from the bottle as a ready to go solution and requires no dilution with water. Suitable for daily washroom cleaning of toilets, urinals and other sanitary ware.

Step 1: Before use, flush toilet to remove all debris and allow the water to settle. Using a toilet brush, force some of the water in the bowl around the U-bend by digging the brush up and down in the water. This will allow the product contact time with any mineral salts/scale at the water level. Step 2: Direct the product up under the rim and allow it to run down the inside of the toilet bowl. Leave for 2-3 minutes. Complete the remainder of the surrounding area cleaning tasks. Finally, scrub the toilet bowl with a toilet brush to remove any stubborn scale or soiling and flush toilet with brush in water to remove any product left in pan or on the brush. Product should be applied to toilets at the same time as you pre-spray the other surfaces to be cleaned in the toilet area. Allow suitable contact

Dilution:

Ready to use daily toilet cleaner & descaler. Requires no dilution.

Ingredients:

Deionized Water, Thickening agent, Methane sulphonic acid, Wetting Agent, Preservative

Shelf Life:

Hospitality

Cleaners

GLASS & Stainless Steel Cleaner



Description:

A highly effective glass and stainless steel cleaner for use on all glass and stainless steel fixtures and fittings in the bathroom, kitchen and bedroom. Contains specialised detergents to remove grease and finger marks and cleans without smearing.

Application with dilution:

Using the atomiser trigger bottle, direct and spray from approximately 30 cm to allow a fine mist to land on the surface. Wipe off using a clean dry cloth or disposable paper. Do not over spray the product as this will cause extra work without any additional benefits and can lead to smears, as glass/metal surfaces are not absorbent. Do not spray product directly onto a TV screen; spray a small amount on to a soft cloth and wipe over the screen.

Where to use:

Ideal for hotels, restaurants, building services cleaning and leisure facilities and is highly effective on mirrors, glass, small windows, TV screens and stainless steel surfaces

Ingredients:

Deionized Water, Non Ionic Surfactant, Solvent, Chelating Agent, Alcohol, Preservative, Acrylic Copolymer,

Shelf Life:

Cleaners

AIR Freshner



Description:

An extremely effective air odour neutraliser, which combines a long lasting floral perfume with a unique encapsulating product to completely neutralise stale odours.

Application:

Suitable for use in all housekeeping, building services and residential care/ lodging sectors where mal-odours are prevalent. Using the trigger bottle atomiser spray direct and spray upwards into the corners of the room and allow to treat mal-odours.

Due to the strong residual fragrance do not over use; this should be the final product used on vacating the room after all other cleaning operations have been completed. It is safe to use on curtains, carpets and other soft furnishings.

Dilution:

Standard at a dilution of 1:19.

Where to use:

Suitable for use in all housekeeping, building services and residential care/ lodging sectors where mal-odours are prevalent

Ingredients:

Deionized Water, Non Ionic Surfactant, Emulsifier, Alcohol, Preservative,

Shelf Life:

Cleaners





Description:

A powerful concentrated neutral detergent with anti bacterial action. Primarily used as a manual washing up liquid in commercial kitchens where high volume used requires ultimate control.

Application:

Cross-Contamination Prevention Premises should note that if there is no ability to gain thermal disinfection through an automatic dish or glass washing machine, to avoid a risk of cross contamination, a two-stage cleaning and disinfection washing up process as best practice Remove food debris then manually wash dishes or equipment and allow sufficient time for the product to penetrate the soiling, agitating heavily soiled areas if necessary. Rinse with fresh clean water or wipe down with a clean damp cloth.

Where to use:

Used for washing up pans, utensils and other catering equipment that will not fit into the dishwasher. Designed to remove starches, grease and stubborn residues from larger catering utensils. Remember, highly soiled items should be soaked in a hot water and chemical solution before normal washing up commences

Ingredients:

Deionized Water, Anionic Surfactant, Emulsifier Detergent Neutralizer, , Preservative,

Shelf Life:

Hospitality

Cleaners



MAGIC OVEN CLEANER

	Contraction and the second
S. Manager	the second of the second s
Strange Strange Strange	
All and an and a set of the set	

Description:

A powerful blend of caustic and special wetting agents that rapidly penetrate to emulsify oils and fats and quickly releases baked on grease deposits and carbon from fat fryer surrounds, ovens, grills and other stainless steel catering equipment.

Application:

OVEN CLEANER is used directly from the bottle as a ready to go solution and requires no dilution with water. It has a foaming trigger spray to help cling to vertical surfaces and is suitable on all stainless steel catering equipment. Especially used for de-carbonising ovens, grills, hot plates and fat fryers, it is critical for commercial/retail catering applications. Wearing eye protection and gloves heat the surface to 60°C then turn off the heat. Spray onto surface to be cleaned (avoid breathing fumes). Leave for 15 minutes, spray again and agitate stubborn deposits with an abrasive pad; then rinse surfaces thoroughly with clean water

For best results the surface being cleaned should be warming up or cooling down prior to using the oven cleaner. The heat will break up and soften the carbon and will make the cleaning task easier. Remember heat is part of the cleaning equation along with mechanical and chemical energy.

Ingredients:

Deionized Water, Non Ionic Surfactant, Chelating Agent, Preservative,

Shelf Life:

Hospitality

Cleaners



ADVANCED DISINFECTANT



Description:

A fast drying, ready to use disinfectant for the food, beverage and dairy INDUSTRY. Advanced Disinfectant contains alcohol combined with a versatile cationic biocide which is effective against a wide range of gram-positive and gram negative bacteria. Suitable for a wide variety of surface and equipment disinfection operations in commercial kitchens and food processing operations.

Application:

- 1. Remove gross debris
- 2. Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the product to penetrate the dirt

3. Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface

Where to use:

The fast acting formulation is suitable for use on all stainless steel surfaces, food processing equipment, worktops, storage areas and utensils.

Ingredients:

Cationic Biocide, Alcohol, Distilled Water

Shelf Life:

Cleaners

HARD SURFACE Cleaner & Disinfectant



Description:

A concentrated cleaner & disinfectant with biocide formulated to clean floors, walls, urinals and all hard surfaces, whilst at the same time Can be used as a floor maintainer and can be buffed to give a satin finish. A highly versatile hard surface cleaner that can be used to remove ingrained grime from surfaces including safety flooring, vinyl, ceramic and painted surfaces. Suitable for a wide variety of surface and equipment disinfection operations in commercial kitchens and food processing operations.

Application:

- 1. Remove gross debris
- 2. Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the

product to penetrate the soil

3. Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface.

Dilution:

Standard at a dilution of 1:10

Where to use:

Suitable for a wide variety of cleaning operations in housekeeping and building services applications as a damp wipe surface and floor cleaner. Cleans & disinfect floors, walls, toilet cubicles, urinals, sluice rooms, wash basins, tiled areas and tables

Ingredients:

Deionized Water, Alcohol, Biocide, Non Ionic Surfactant.

Shelf Life:

Cleaners



ALL PURPOSE CLEANER



Description:

A concentrated perfumed multi-purpose cleaner formulated to clean floors, walls, urinals and other hard surfaces, whilst at the same time leaving a pleasant fragrance. A highly versatile hard surface cleaner that can be used to remove ingrained grime from surfaces including safety flooring, vinyl, ceramic and painted surfaces

Dilution:

Standard at a dilution of 1:50 with a contact time of 5 minutes

Application:

- 1. Remove gross debris.
- 2. Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the product to penetrate the soil.
- 3. Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface.

Where to use

Suitable for a wide variety of cleaning operations in housekeeping and building services applications as a damp wipe surface and floor cleaner.Cleans floors, walls, toilet cubicles, showers, urinals, sluice rooms, wash basins, tiled areas and tables

Ingredients:

Deionized Water, Non Ionic Surfactant, Descaling Agent, Preservative,

Shelf Life:

Cleaners

HAND Sanitiser



Description:

A fast acting alcohol hand sanitiser which in conjunction with a mild odourless hand soap helps keep hands germ-free in commercial catering premises. Ideal for hotels, schools, restaurants, building services cleaning and leisure facilities.

Application with dilution:

Alcohol Hand Gel is used as a fast acting hand disinfectant for use in high risk areas and is particularly effective as a terminal hand disinfectant after cleaning your hands with soap. A measured shot is sprayed onto the hands from the wall mounted dispenser. Remember - Do not rewash hands immediately after applying alcohol rinse.

Good personal hygiene standards are a

critical area of cleaning and disinfection within the kitchen. Most food poisoning outbreaks occur not because of infected produce or poor temperature controls, but due to poor personal hygiene by food handlers

Dilution:

Ready to use.

Where to use:

Ideal for hotels, schools, restaurants, building services cleaning and leisure facilities

Ingredients:

Deionized Water, Natural Betaine, Polyol, Alcohol, Preservative.

Shelf Life:

Cleaners





Description:

Anti bacterial soap that contains a biocide to help keep hands germ-free in commercial catering premises. Ideal for hotels, schools, restaurants, building services cleaning and leisure facilities.

Application:

Antibacterial Liquid Hand Soap is used directly from the refillable soap dispenser with the blue teardrop. Always make sure that soap dispensers are always filled with soap.

Good personal hygiene standards are a critical area of cleaning and disinfection within the kitchen. Most food poisoning outbreaks occur not because of infected produce or poor temperature controls, but due to poor personal hygiene by food handlers.

Dilution:

Ready to use.

Where to use:

Ideal for hotels, schools, restaurants, building services cleaning and leisure facilities.

Ingredients:

Deionized Water, Anionic Surfactant, Acidifier, Wetting Agent, Preservative, amphoteric surfactant,Biocide.

Shelf Life:



OUR PRODUCT RANGE

Medical Care Products

This range provides access to a broad portfolio of antimicrobial which is available with different levels. We are working with expertise that has experience in microbiology and formulation capability. In health care disinfection of surfaces is essential to reduce the risk of infection.

MEDICAL

Cleaners

BIOCIDAL Handsoap



Description:

Odourless and colourless Biocidal Handsoap contains a biocide to help keep hands germ-free in commercial catering premises. Ideal for hospitals, restaurants, and leisure facilities.

Application:

Biocidal Handsoap is used directly from the refillable soap dispenser. Always make sure that soap dispensers are always filled with soap.

Good personal hygiene standards are a critical area of cleaning and disinfection within the kitchen. Most food poisoning outbreaks occur not because of infected produce or poor temperature controls, but due to poor personal hygiene by food handlers.

Dilution: Ready to use.

Where to use:

Ideal for hospitals, clinics, hotels, schools, restaurants, building services cleaning and leisure facilities.

Ingredients:

Deionized Water, Anionic Surfactant, Acidifier, Wetting Agent, Preservative, amphoteric surfactant,Biocide.

Shelf Life:

MEDICAL

Cleaners

ADVANCED Cleaner & Disinfectant



Description:

A concentrated cleaner & disinfectant with biocide formulated to clean floors, walls, urinals and other hard surfaces, whilst at the same time Can be used as a floor maintainer and can be buffed to give a satin finish. A highly versatile hard surface cleaner that can be used to remove ingrained grime from surfaces including safety flooring, vinyl, ceramic and painted surfaces. Suitable for a wide variety of surface and equipment disinfection operations in commercial kitchens and food processing operations.

Dilution:

Dilute 1:10 with fresh water. Once the surfaces have been cleaned they should be rinsed with fresh clean water to avoid leaving chemical residues

Application:

- 1. Remove gross debris
- Spray directly onto the surface or equipment. Depending on the degree of soiling allow sufficient time for the product to penetrate the soil
- 3. Agitate heavily soiled areas if necessary, then simply wipe away with a clean cloth or absorbent paper to leave a fresh clean surface.

Where to use:

Suitable for a wide variety of cleaning operations in hospitals, clinics, housekeeping and building services applications as a damp wipe surface and floor cleaner. Cleans & disinfect floors, walls, toilet cubicles, urinals, sluice rooms, wash basins, tiled areas and tables.

Ingredients:

Deionized Water, Alcohol, Biocide, Non Ionic Surfactant.

Shelf Life:



Safety is our first priority, both the starting point and foundation for all aspects of our global business operations. Safe transport and storage of products, safe operational practices and safe working conditions enable us to protect our employees, customers, suppliers and the environment.



We are committed to reducing our environmental impact and carbon footprint, ensuring the safety of our employees and neighbors, helping to grow our supplier and customer businesses by providing them with sustainable solutions and ensuring the safe stewardship of products.



All our products are quality tested in our laboratory. A team of dedicated research professionals ensure our products perform to the highest standards

C A MEHO

Contact us

CapChem Industry Headquarters Warehouse No 15 – AlSerkal – DIP Dubai, UAE PO Box: 261150 Tel: +971 4 885 1156 www.capchemindustry.com info@capchemindustry.com

Antoine Gebara – Director Mobile: +971 50 658 6809 agebara@capchemindustry.com